

G60-60L



Description

- Base type: E27, E14
- Life time: 50,000H
- Voltage: Voltage: AC 85-265V
- Viewing angle: 120°
- Constant current driver
- Super high brightness
- Driver and LED PCB are separated for better heat radiation
- 6lm CW LED and 5lm WW LED available

Color	Color temperature/ wavelength	60led w	10 boxes/film seal 100 boxes/ carton (cm)
White	5000-7000K	3	65*33*27
Warm white	2500-3300K	3	65*33*27

G35-60L



Description

- Base type: E27, E14
- Life time: 50,000H
- Voltage: AC 85-265V
- Viewing angle: 120°
- Constant current driver
- Super high brightness
- Driver and LED PCB are separated for better heat radiation
- 6lm CW LED and 5lm WW LED available

Color	Color temperature/ wavelength	60led w	10 boxes/film seal 100 boxes/ carton (cm)
White	5000-7000K	3	47*24.5*28.
Warm white	2500-3300K	3	47*24.5*28.

G55-80L



Description

- Base type:E27,E14
- Life time:30,000H IP54
- Voltage: Voltage: AC 85-265V
- Viewing angle: 120°
- Constant current driver
- Super high brightness
- Driver and LED PCB are separated for better heat radiation
- 6lm CW LED and 5lm WW LED available

Color	Color temperature/ wavelength	80led w	10 boxes/film seal 100 boxes/ carton (cm)
White	5000-7000K	5	30*30*31
Warm white	2600-3700K	5	30*30*31

G65-150L



Description

- Base type: E27, E14
- Life time: 30,000H IP54
- Voltage: Voltage: AC 85-265V
- Viewing angle: 120°
- Constant current driver
- Super high brightness
- Driver and LED PCB are separated for better heat radiation
- 6lm CW LED and 5lm WW LED available

Color	Color temperature/ wavelength	150led	10 boxes/film seal
		w	100 boxes/ carton (cm)
White	5000-7000K	8	33*33*34
Warm white	2600-3700K	8	33*33*34

G65-204L



Description

- Base type: E27, E14
- Life time: 30,000H IP54
- Voltage: Voltage: AC 85-265V
- Viewing angle: 120°
- Constant current driver
- Super high brightness
- Driver and LED PCB are separated for better heat radiation
- 6lm CW LED and 5lm WW LED available

Color	Color temperature/ wavelength	204led	10 boxes/film seal
		w	100 boxes/ carton (cm)
White	5000-7000K	13.5	33*33*34
Warm white	2600-3700K	13.5	33*33*34